



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No.: HAPTX20070098

Page 1 of 6

Applicant FUZHOU J&K IMP&EXP CO.,LTD
Address Block A, Storefront 06, 1st building, NO. 32, Wufeng Street, Gulou District, Fuzhou, 350003 China

Sample Information

Sample Name Custom Printed Face Masks
Sample Brand CFM

*The information above is provided and confirmed by the applicant.

Sample Received Date Jul.03,2020
Testing Period Jul.03,2020 to Jul.06,2020

Testing Requested As per client's request, to determine the Formaldehyde, pH value, Azo dyes, Color Fastness to Water, Color Fastness to Perspiration, Color Fastness to Crocking, Odor, Fiber Quantitative Analysis, Identification Marks in the submitted sample according to FZ/T 73049-2014 Qualified product, GB 18401-2010 B&GB/T 5296.4-2012 some terms.

Testing Results Please refer to next page(s)

Signer : Paul. Chen
Authorised signatory

Date : Jul.09,2020

[Website of verification report: CNCA verification platform vz.cnca.cn](http://www.cnca.gov.cn/verification/platform/vz.cnca.cn)



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No.: HAPTX20070098

Page 2 of 6

Remark Based on the sample, with reference to FZ/T 73049-2014 Qualified product,GB 18401-2010 B& GB/T 5296.4-2012,and test result in conformity with the requirements.Judged as follows:

No.	Testing Item(s)			Requirement	Testing Method	Measured values	Determine
1	Formaldehyde（mg/kg）			≤75	GB/T 2912.1-2009	ND	Pass
2	pH			4.0-8.5	GB/T 7573-2009	6.6	Pass
3	Azo dyes（mg/kg）*			Disable(≤20)	GB/T 17592-2011	ND	Pass
4	Color Fastness to Water /Grade	Color Change		≥3	GB/T 5713-2013	4-5	Pass
		Color Staining	Polyester			4	Pass
			Cotton			4	Pass
5	Color Fastness to Acid /Grade	Color Change		≥3	GB/T 3922-2013	4-5	Pass
		Color Staining	Polyester			4	Pass
			Cotton			4-5	Pass
6	Color Fastness to Alkali /Grade	Color Change		≥3		4-5	Pass
		Color Staining	Polyester			4	Pass
			Cotton			4-5	Pass
7	Color Fastness to Crocking/ Grade	Dry	Straight	≥3	GB/T 3920-2008	4-5	Pass
			Crosswise			4-5	
8	Odor			No Odor	GB 18401-2010 Pt 6.7	No Odor	Pass
9	Fiber Quantitative Analysis/%			——	FZ/T 01057.1~4-2007& GB/T 2910-2009&FZ/T 01095-2002	Polyester90.8 Elastane 9.2	——
10	Identification Marks*			GB/T 5296.4-2012	GB/T 5296.4-2012	Pass	Pass

Note: (1) 1 mg/kg=1 ppm=0.0001%
(2) ND=Not Detected, "—" =Not Regulated
(3) The minimum detection limit for formaldehyde is 16 mg/kg
(4) *Detection information see the test results
(5) This report replaces the original report no. haptx20070098, and the original report is invalid.



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No.: HAPTX20070098

Page 3 of 6

1. Determination of Identification marks

Testing method With reference to GB/T 5296.4-2012.

No.	Testing Item(s)	Requirement	Determine
1	The name and address of the manufacturer	Meet the requirements of section 5.1 of GB/T 5296.4-2012	Pass
2	Product name	Meet the requirements of section 5.2 of GB/T 5296.4-2012	Pass
3	Product sizes	Meet the requirements of section 5.3 of GB/T 5296.4-2012	Pass
4	Fiber Composition and content of raw material in use	Meet the requirements of section 5.4 of GB/T 5296.4-2012	Pass
5	Maintenance method	Meet the requirements of section 5.5 of GB/T 5296.4-2012	Pass
6	Product Standards	Meet the requirements of section 5.6 of GB/T 5296.4-2012	Pass
7	Safety Category	Meet the requirements of section 5.7 of GB/T 5296.4-2012	Pass
8	Note the use and storage	Meet the requirements of section 5.8 of GB/T 5296.4-2012	N/A
9	Durable Label position	Meet the requirements of section 6.2 of GB/T 5296.4-2012	Pass
10	Other requirements	Meet the requirements of section 8 of GB/T 5296.4-2012	Pass
Result		Pass	

Note: N / A is not applicable or no requirement



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No.: HAPTX20070098

Page 4 of 6

2.Determination of Azo dyes (unit: mg/kg)

Testing method With reference to GB/T 17592-2011. By GC/MS for measuring.

Testing Item(s)	CAS No.	MDL	Limit	Results
4-aminobiphenyl	92-67-1	5	20	ND
benzidine	92-87-5	5	20	ND
4-chloro-o-toluidine	95-69-2	5	20	ND
2-naphthylamine	91-59-8	5	20	ND
o-aminoazotoluene	97-56-3	5	20	ND
p-chloroaniline	106-47-8	5	20	ND
2,4-diaminoanisole	615-05-4	5	20	ND
4,4'-diaminobiphenylmethane	101-77-9	5	20	ND
3,3'-dichlorobenzidine	91-94-1	5	20	ND
3,3'-dimethoxybenzidine	119-90-4	5	20	ND
3,3'-dimethylbenzidine	119-93-7	5	20	ND
3,3'-dimethyl-4,4'-diaminobiphenylmethane	838-88-0	5	20	ND
p-cresidine	120-71-8	5	20	ND
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	5	20	ND
4,4'-oxydianiline	101-80-4	5	20	ND
4,4'-thiodianiline	139-65-1	5	20	ND
o-toluidine	95-53-4	5	20	ND
2,4-toluyldiamine	95-80-7	5	20	ND
2,4,5-trimethylaniline	137-17-7	5	20	ND
o-anisidine	90-04-0	5	20	ND
5-nitro-o-toluidine	99-55-8	5	20	ND
4-aminoazobenzene	60-09-3	5	20	ND
2,4-xylidine	95-68-1	5	20	ND
2,6-xylidine	87-62-7	5	20	ND

Note: (1) 1 mg/kg=1 ppm=0.0001%
(2) MDL=Method Detection Limit
(3) ND=Not Detected (<MDL)

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198 号

Address: NO.198 Wuzhou East Road, economic and technological development zone, Yangzhou

URL: www.hap-test.com

E-mail: hap@hap-test.com

☎: 400-6600-776

☎: 0514-89711561



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No.: HAPTX20070098

Page 5 of 6

Sample photos:



***End of report ***



171020340088



中国认可
国际互认
检测
TESTING
CNAS L6760

Test Report

Report No.: HAPTX20070098

Page 6 of 6

注 意 事 项

Notice Items

1、本报告无批准人签字、报告专用章及骑缝章无效。

This report shall be invalid without the signature of the approver, the special seal for the report and the cross-page seal.

2、本报告不得擅自修改、增加或删除。

This report shall not be modified, added or deleted without authorization.

3、报告结果只对本次受检样品负责。若对检测结果有异议，请在报告签发日期后十五天内书面提出，逾期不予受理。

The results of the report are only responsible for the samples tested this time. If there is any objection to the test result, please submit it in writing within fifteen days after the date of issuance of the report. Overdue will not be accepted.

4、未经环谱检测书面同意，不得部分复制本报告，亦不可作为宣传品使用。

Without the written consent of HAP, this report shall not be partially copied or used as publicity materials.

5、当需要结果符合性评价时，若客户无要求，一般不考虑结果的测量不确定度的影响。

When the result conformity evaluation is required, if the customer does not require it, the influence of the measurement uncertainty of the result is generally not considered.

6、相关项目（△）未取得资质认定时，检测数据仅限科研、教学、内部质量控制或研发等活动使用。

When the relevant Items (△) has not been qualified, the test data is limited to scientific research, teaching, internal quality control or research and development activities.

7、本公司出具纸质正版报告与电子数字签名版具备相同效力，当两者内容有差异时以电子数字签名版为准。

The company's paper genuine report has the same legal effect as the electronic digital signature version. When the contents are different, subject to electronic digital signature version.

（具体通用条款详见 <http://www.hap-test.com/customerservice.html>）

(For specific general terms, please see <http://www.hap-test.com/customerservice.html>)